

FEATURE COLLECTION
NOMA GRAPHITE SET


Noma
Graphite Pendant
Linear Ceiling Plate

6 WATT | 540 LUMENS | 2700K

Individually sandblasted, smooth dimmable LED filament lamp made of mouth-blown glass. This lamp uses 6 Watts of power and achieves 540 Lumens at a CRI of 95. It has an IP54 rating.

LAMP

Shape: Custom
Materials: Brass cap, mouth-blown glass
Finish: Matte porcelain
Beam angle: 360°
Base: E26
Weight: 0.375 lbs
Working temperature: -5C to 40C
Warm up time: Instant
Warranty: 3 years
Input Voltage: 110V-120V
Glare control: We use up to 8 LED filaments in our lamps. This, together with a thicker phosphor coating, reduces and controls glare, resulting in an even, more comfortable light.



BEST PAIRED WITH


1. Oak Pendant
2. Walnut Pendant
3. Brass Pendant
4. Graphite Pendant



PERFORMANCE

CRI (colour rendering index)	95
Lamp lumen output	540
Luminaire circuits per watt (LM/W)	90
Lifetime (TM-21) (hours)	30,000
Colour Temperature	2700K
Power factor	0.9

POLAR DIAGRAM



DIMMING

Dimmable: Yes
Dimming type: Trailing edge
Recommended US Dimmer: Lutron - Diva DVVELV-300P-XX
 (X denotes faceplate color)

A full list of compatible dimmers is available on request.

OUTER CARTON

Pc/ Ctn: 20
Gross weight: 9.92lbs
Length: 28.7in
Width: 11.8in
Height: 13.4in

IES/LDT FILE

Available upon request.

EAN US: 5060400150311



GRAPHITE PENDANT

SKU: GRAP-PD-01-US

tala®

Anodised aluminium pendant, fitted with a braided 3 metre black kink free cord that's easily adjusted by hand. Complete with ceiling rose as standard.

FIXTURE

Type: Pendant
Materials: Anodised aluminium
Finish: Anodised
Ceiling rose dimensions: 80mm x 25mm
Lampholder: E26
Weight: 0.675 lbs
Warranty: 1 year
Input Voltage: 110-120V
Cord: 3 metre cord, Black fabric covered silicone
Luminaire: Class II
Wattage: Max 60 W

Dimmable: Yes




2.56 in

1.57 in

BEST PAIRED WITH

1. Enno / Noma / Oblo / Oval



OUTER CARTON

Pc/ Ctn: 9
Gross weight: 11.9 lbs
Length: 15.0in
Width: 15.0in
Height: 8.3in

EAN US: 5060400150571

IP120



LINEAR CEILING PLATE


tala®

SKU: POD-PLATE-LINE-NP-US-01

Powder-coated, steel ceiling plate that fits four ceiling roses in a uniform row. Securely hooks cords into position, ensuring consistent spacing between each light.

FIXTURE

Type: Ceiling Plate
Materials: Steel
Finish: Matte white, powder coated
Warranty: 1 years
Weight: 7.30 lbs
Length: 35.43in
Width: 7.09in
Height: 0.79in



BEST PAIRED WITH

1. Porcelain Range Bulbs
2. Feature Collection Bulbs
3. Graphite Pendant

EAN US: 5060400151448

