

anony

408 - 9 Davies Ave.
 Toronto, ON
 M4M 2A6
 +1 416 994 9617
 sales@anony.ca




Photo: OHM-PBR-07

Ohm. Pendant
Design: Anony, Darryl Agawin

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Product Code

Model Finish Pendant Temperature

Model OHM		Dimension Per Pendant Ø5in Ø130mm	Canopy Dimension Ø12in Ø300mm	Dimming a. ELV Reverse Phase b. 0-10V	Lamp Life 15K hours
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome SWHT Sandtex White SBLK Sandtex Black		Material Steel Aluminum Glass LED	Weight 15lbs 6.8kg	Driver Integral in Canopy	Input Voltage 120V 50/60Hz
Pendant 07	07 Chandelier	Mounting J-Box	Temperature 2700K 3000K	Lamping 80CRI 12.6W 1050-1190lm	Output Voltage 12V
					Certification 

anony

408 - 9 Davies Ave.
Toronto, ON
M4M 2A6
+1 416 994 9617
sales@anony.ca




Photo: OHM-PCU-07

Ohm. Pendant
Design: Anony, Darryl Agawin

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Product Code

Model Finish Pendant Temperature

Model OHM		Dimension Per Pendant Ø5in Ø130mm	Canopy Dimension Ø12in Ø300mm	Dimming a. ELV Reverse Phase b. 0-10V	Lamp Life 15K hours
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome SWHT Sandtex White SBLK Sandtex Black		Material Steel Aluminum Glass LED	Weight 15lbs 6.8kg	Driver Integral in Canopy	Input Voltage 120V 50/60Hz
Pendant 07	07 Chandelier	Mounting J-Box	Temperature 2700K 3000K	Lamping 80CRI 12.6W 1050-1190lm	Output Voltage 12V
					Certification 

anony

408 - 9 Davies Ave.
Toronto, ON
M4M 2A6
+1 416 994 9617
sales@anony.ca




Photo: OHM-PCR-07

Ohm. Pendant
Design: Anony, Darryl Agawin

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Product Code

Model Finish Pendant Temperature

Model OHM		Dimension Per Pendant Ø5in Ø130mm	Canopy Dimension Ø12in Ø300mm	Dimming a. ELV Reverse Phase b. 0-10V	Lamp Life 15K hours
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome SWHT Sandtex White SBLK Sandtex Black		Material Steel Aluminum Glass LED	Weight 15lbs 6.8kg	Driver Integral in Canopy	Input Voltage 120V 50/60Hz
Pendant 07	07 Chandelier	Mounting J-Box	Temperature 2700K 3000K	Lamping 80CRI 12.6W 1050-1190lm	Output Voltage 12V
					Certification 

anony

408 - 9 Davies Ave.
 Toronto, ON
 M4M 2A6
 +1 416 994 9617
 sales@anony.ca




Photo: OHM-SWHT-07

Ohm. Pendant
Design: Anony, Darryl Agawin

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Product Code

Model Finish Pendant Temperature

Model OHM		Dimension Per Pendant Ø5in Ø130mm	Canopy Dimension Ø12in Ø300mm	Dimming a. ELV Reverse Phase b. 0-10V	Lamp Life 15K hours
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome SWHT Sandtex White SBLK Sandtex Black		Material Steel Aluminum Glass LED	Weight 15lbs 6.8kg	Driver Integral in Canopy	Input Voltage 120V 50/60Hz
Pendant 07	07 Chandelier	Mounting J-Box	Temperature 2700K 3000K	Lamping 80CRI 12.6W 1050-1190lm	Output Voltage 12V
					Certification 

anony

408 - 9 Davies Ave.
 Toronto, ON
 M4M 2A6
 +1 416 994 9617
 sales@anony.ca



Photo: OHM-SBLK-07

Ohm. Pendant
Design: Anony, Darryl Agawin

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Product Code

Model Finish Pendant Temperature

Model OHM	Dimension Per Pendant Ø5in Ø130mm	Canopy Dimension Ø12in Ø300mm	Dimming a. ELV Reverse Phase b. 0-10V	Lamp Life 15K hours
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome SWHT Sandtex White SBLK Sandtex Black	Material Steel Aluminum Glass LED	Weight 15lbs 6.8kg	Driver Integral in Canopy	Input Voltage 120V 50/60Hz
Pendant 07	Mounting J-Box	Temperature 2700K 3000K	Lamping 80CRI 12.6W 1050-1190lm	Output Voltage 12V
				Certification 