


Pablo[®] CANDÉL


FUNCTION



4-STAGE TOUCH SWITCH
TAP SWITCH BRIEFLY TO CYCLE THROUGH; 100%, 50%, 25%, 5%, AND OFF.

USB-C CHARGE PORT

INDICATOR LIGHT



| | |
|------------------------------------|------------------------|
| STANDBY | OFF |
| BATTERY LOW (BELOW 20%) | ON |
| CHARGING (0-90%) | FLASHING SLOWLY |
| CHARGING (90-100% COMPLETE) | ON |

DE: FUNKTION

KAPAZITIVE STEUERUNG MIT VIER STUFEN
BERÜHREN SIE SCHALTER, UM DURCHZYKLIEREN. 100%, 50%, 25%, 5% UND AUS.

USB-C-LADEPORT
9 - 150 STUNDEN AKKULAUFZEIT

SPEZIFIKATIONEN
WARM DUNKEL LED (2500-1800K)
2.2 WATT
100 LUMENS

KONTROLLLEUCHE

| | |
|---|-----------------------|
| BEREITHALTEN | AUS |
| NIEDRIGER BATTERIESTATUS (UNTEN 20%) | AUF |
| LADEN (0-90%) | BLINKT LANGSAM |
| LADEN (90-100% VOLLSTÄNDIG) | AUF |

FR: FONCTION

INTERRUPTEUR A QUATRO STADI
TOCCA BREVE L'INTERRUPTEUR PER CICLARE ATTRAVERSO; 100%, 50%, 25%, 5% E SCONTO.

PORT DE CHARGE USB-C
AUTONOMIE DE 9 À 150 HEURES

CARACTÉRISTIQUES
CHAUD DIM LED (2500-1800K)
2.2 WATT
100 LUMENS

VOYANT

| | |
|---|-----------------------------|
| DE RÉSERVE | DÉSACTIVÉ |
| BATTERIE FAIBLE (INFÉRIEURE À 20%) | ACTIVE |
| CHARGE (0-90%) | CLIGNOTANT LENTEMENT |
| CHARGE (90-100%) | ACTIVE |

ES: FUNCIÓN

INTERRUPTOR DE CUATRO ETAPAS
TOQUE EL INTERRUPTOR BREVEMENTE PARA HACER CICLO; 100%, 50%, 25%, 5% Y APAGADO.

PUERTO DE CARGA USB-C
DURACIÓN DE LA BATERÍA DE 9 A 150 HORAS

ESPECIFICACIONES
CÁLIDA TENUE LED (2500-1800K)
2.2 WATT
100 LUMENS

LUZ INDICADORA

| | |
|--|-------------------------------|
| APOYAR | APAGADA |
| BATERÍA BAJA (POR DEBAJO DEL 20%) | ACTIVA |
| CARGANDO (0-90%) | PARPADEANDO LENTAMENTE |
| CARGANDO (90-100%) | ACTIVA |

IT: FUNZIONE

INTERRUPTEUR A QUATRO STADI
TOCCA BREVE L'INTERRUPTEUR PER CICLARE ATTRAVERSO; 100%, 50%, 25%, 5% E SCONTO.

PORTA DI RICARICA USB-C
9-150 ORE DI DURATA DELLA BATTERIA

SPECIFICHE
CALDO FIOCO LED (2500-1800)
2.2 WATT
100 LUMENS

SPIA

| | |
|--|--------------------------------|
| LA RISERVA | SPENTA |
| BATTERIA SCARICA (INFERIORE AL 20%) | ATTIVA |
| RICARICA (0-90%) | LAMPEGGIANTE LENTAMENTE |
| RICARICA (90-100%) | ATTIVA |

SPECIFICATIONS

LED Chip-on-board
(2500K-1800K) Warm Dim
2.2 Watt
100 Lumens
9-150 hr battery life

This device complied with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Caution: Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

1. This device must not cause interference
2. This device must accept any interference, including interference that may cause undesired operation of this device.

L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes:

- 1. L'appareil ne doit pas produire de brouillage;*
- 2. L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.*

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is not guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Pablo®

CANDEÉL

USER GUIDE

Pablo®

INFO@PABLODESIGNS.COM
INFO@PABLODESIGNS.EU

888 MARIN ST
SAN FRANCISCO, CA
94124

PABLODESIGNS.COM
PABLODESIGNS.EU

INFO@PABLODESIGNS.COM
888 MARIN STREET
SAN FRANCISCO, CA
94124

PABLODESIGNS.COM

