

# anony

186 St Helens Ave  
Toronto, Ontario  
M6H 4A1  
+1 905 301 0306  
sales@anony.ca



Photo: HWR-MBK-01


## Highwire. Pendant

Highwire is a gravitational balancing act, created by tension between two points and a weighted centre.

By weighting the cables with the luminaires, the cables lightly trace shapes in three-dimensional space, allowing the fixture to frame to any setting. These shapes are further accentuated by the light emanating from both sides of each disk, which illuminates the surrounding area and also the fixture itself. Up to five luminaires can be added to a single power drop.

### Item Code

HWR		01			
Model	Finish	Pendant	Temperature	+	Canopy

<b>Model</b> HWR Highwire	<b>Pendant Dimension</b> Ø8in X D1.38in Ø200mm X D35mm	<b>Canopy Dimension</b> Ø4.5in X H0.25in Ø115mm X H6mm	<b>Dimming</b> ELV	<b>Input Voltage</b> 120V 50/60Hz
<b>Finish</b> MBK Matte Black BAL Brushed Aluminum	<b>Material</b> Aluminum Polycarbonate Plexiglass	<b>Weight</b> 4.5lbs 2.0kg	<b>Driver</b> Integral in J-Box	<b>Output Voltage</b> 24V
<b>Canopy Finish</b> SBK Sandtex Black BNI Brushed Nickel	<b>Mounting</b> J-Box, Deep min. H2.125in	<b>Temperature</b> 2200K 2500K 2700K 3000K 3500K	<b>Lamping</b> 97CRI 12W 660lm	<b>Certification</b> CE Compliant Damp Rated 
<b>Type</b> 01 Pendant			<b>Lamp Life</b> 50,000 hours	

Standard cable length 10' per side additional is extra

# anony

186 St Helens Ave  
Toronto, Ontario  
M6H 4A1  
+1 905 301 0306  
sales@anony.ca



Photo: HWR-MBK-03


## Highwire. Chandelier

Highwire is a gravitational balancing act, created by tension between two points and a weighted centre.

By weighting the cables with the luminaires, the cables lightly trace shapes in three-dimensional space, allowing the fixture to frame to any setting. These shapes are further accentuated by the light emanating from both sides of each disk, which illuminates the surrounding area and also the fixture itself. Up to five luminaires can be added to a single power drop.

### Item Code

HWR		03			
Model	Finish	Chandelier	Temperature	+	Canopy

<b>Model</b> HWR	Highwire	<b>Pendant Dimension</b> Ø8in X D1.38in Ø200mm X D35mm	<b>Canopy Dimension</b> Ø4.5in X H0.25in Ø115mm X H6mm	<b>Dimming</b> ELV	<b>Input Voltage</b> 120V 50/60Hz
<b>Finish</b> MBK BAL	Matte Black Brushed Aluminum	<b>Material</b> Aluminum Polycarbonate Plexiglass	<b>Weight</b> 13.5lbs 6.12kg	<b>Driver</b> Integral in J-Box	<b>Output Voltage</b> 24V
<b>Canopy Finish</b> SBK BNI	Sandtex Black Brushed Nickel	<b>Mounting</b> J-Box, Deep min. H2.125in	<b>Temperature</b> 2200K 2500K 2700K 3000K 3500K	<b>Lamping</b> 97CRI 36W 1980lm	<b>Certification</b> CE Compliant Damp Rated 
<b>Type</b> 03	Trio Chandelier			<b>Lamp Life</b> 50,000 hours	

Pendants have a standard cable length of 10' per side additional is extra

# anony

186 St Helens Ave  
 Toronto, Ontario  
 M6H 4A1  
 +1 905 301 0306  
 sales@anony.ca




Photo: HWR-MBK-05


## Highwire. Chandelier

Highwire is a gravitational balancing act, created by tension between two points and a weighted centre.

By weighting the cables with the luminaires, the cables lightly trace shapes in three-dimensional space, allowing the fixture to frame to any setting. These shapes are further accentuated by the light emanating from both sides of each disk, which illuminates the surrounding area and also the fixture itself. Up to five luminaires can be added to a single power drop.

### Item Code

HWR 05  
 Model Finish Chandelier Temperature + Canopy

<b>Model</b> HWR Highwire	<b>Pendant Dimension</b> Ø8in X D1.38in Ø200mm X D35mm	<b>Canopy Dimension</b> Ø4.5in X H0.25in Ø115mm X H6mm	<b>Dimming</b> ELV, Triac, 0-10V	<b>Input Voltage</b> 120V 50/60Hz
<b>Finish</b> MBK Matte Black BAL Brushed Aluminum	<b>Material</b> Aluminum Polycarbonate Plexiglass	<b>Weight</b> 22.5lbs 10.2kg	<b>Driver</b> Remote	<b>Output Voltage</b> 24V
<b>Canopy Finish</b> SBK Sandtex Black BNI Brushed Nickel	<b>Mounting</b> J-Box	<b>Temperature</b> 2200K 2500K 2700K 3000K 3500K	<b>Lamping</b> 97CRI 60W 3300lm	<b>Certification</b> CE Compliant Damp Rated 
<b>Type</b> 05 Quintet Chandelier			<b>Lamp Life</b> 50,000 hours	

Pendants have a standard cable length of 10' per side additional is extra