

OYSTER

Designed by Anna-Myato Seho



INSTALLATION GUIDE

Inspired by the precious pearls hidden within an oyster, this product line features fine crystal shell encasing a luminous glass pearl. The striking design combines crystal and brass to play with light, using gradient sandblasting to add grace and depth to each piece.

SANS SOUCI

Risks of Uncertified Manipulation and Use of Unauthorized Components:

1. Loss of Warranty

Product Warranty:

The warranty remains valid only when the manufacturer's guidelines for use and maintenance are strictly followed. Any intervention by unqualified personnel or the use of unauthorized components will immediately void the warranty.

Warranty Terms:

The warranty terms explicitly state that any unauthorized tampering or the use of unauthorized components will result in the immediate termination of the warranty coverage. Consequently, any defects or issues resulting from such actions will not be eligible for repair or replacement under the warranty.

2. Security Risks

Electrical Standards:

Our products are designed and rigorously tested to comply with all relevant safety and electrical standards. Improper operation may violate these standards and create a risk of electric shock, fire or other accidents.

Risk of Injury:

Using unauthorized components can cause the product malfunction, significantly increasing the risk of severe hazards, including fire or electric shock.

3. Performance and Reliability Degradation

Professional Intervention:

Our technicians are highly trained and certified to work specifically with our products. Unauthorized or unprofessional intervention can cause significant damage, leading to performance degradation and subsequently lead to costly repairs.

Compatibility:

Only authorized components are tested and approved to ensure full compatibility with our products. The use of non-original components may cause malfunctions, reduced reliability, or complete non-functionality of the product, compromising both performance and safety.

4. Professional Service and Support

Professional Service:

Our technicians have the specialized training and certification required to work with our products safely and effectively. Any intervention by unqualified personnel can cause significant damage, leading to additional and costly repairs.


Technical Support:

Using authorized components guarantees full access to our comprehensive technical support and services. The use of non-original components severely limits our ability to provide effective support.

ATTENTION


The installation of the luminaire is divided into two sections based on certification requirements. Please follow the appropriate instructions for UL or CE certified installations before proceeding to the regular steps applicable to both variants.





DETAIL


Drill three holes for wall plugs into the ceiling according to the drilling plan, each with the correct diameter and a minimum depth of 45 mm. Ensure that the power cable hole is positioned accordingly.



WALL PLUGS FOR $\varnothing 6$ mm

DETAIL


Insert the appropriate wall plugs into the $\varnothing 6$ mm holes.



WALL PLUG FOR $\varnothing 9$ mm


DETAIL

Screw the appropriate wall plug into the $\varnothing 9$ mm hole.



DETAIL

Guide the power supply cable through the mounting fixture, then secure the fixture to the ceiling using the provided screws.




WASHER

REUTLINGER

DETAIL

Place the washer between the wall plug and the Reutlinger, then screw it in place.




DETAIL

Connect the power supply cable to the terminals in the mounting fixture.

ATTENTION


The installation of the luminaire is divided into two sections based on certification requirements. Please follow the appropriate instructions for UL or CE certified installations before proceeding to the regular steps applicable to both variants.





DETAIL


Drill Ø 9 mm hole for the wall plug into the ceiling according to the drilling plan. Ensure that the J-box is positioned accordingly.



WALL PLUG FOR $\varnothing 9$ mm

DETAIL


Screw the appropriate wall plug into the $\varnothing 9$ mm hole.



MOUNTING FIXTURE



DETAIL

Connect the power supply cable to the terminals in the mounting fixture.



DETAIL

Place the mounting fixture over the J-box and screw it in place.




DETAIL

Place the washer between the wall plug and the Reutlinger, then screw it in place.


PENDANT

REGULAR STEPS




**DETAIL**

Insert the wire into the Reutlinger and adjust it to the appropriate height so that the glass shade is level.




DETAIL

Attach the glass base to the ceiling.



DETAIL

Make sure it is flush with the ceiling and secure it in place using the locking ring with the set screw.



DETAIL

Ensure that the lighting fixture is securely fastened.

SANS SOUCI

Country of origin:
Czech Republic

Sans Souci, s.r.o.
Vaclavske nam. 804/58,
110 00, Prague 1, Czech Republic

www.sanssoucilighting.com