

## TECHNICAL SHEET

A mutable object that changes with the light. When off, Lit looks like a suspended sculpture, a minimal tube made precious by the reflections that play on the glass. When lit, the lamp reveals a bright, warm and gentle soul.

### Certification



|                    | 1912-23 LARGE                           | 1912-22 MEDIUM                          | 1912-21 SMALL                           |
|--------------------|-----------------------------------------|-----------------------------------------|-----------------------------------------|
| <b>Mounting</b>    | Suspension                              | Suspension                              | Suspension                              |
| <b>Environment</b> | Indoor - Dry Location                   | Indoor - Dry Location                   | Indoor - Dry Location                   |
| <b>Materials</b>   | Glass                                   | Glass                                   | Glass                                   |
| <b>Voltage</b>     | 120V 60Hz                               | 120V 60Hz                               | 120V 60Hz                               |
| <b>Source</b>      | Bulb E26 1 x 60W<br>✗ Bulb not included | Bulb E26 1 x 60W<br>✗ Bulb not included | Bulb E12 1 x 25W<br>✗ Bulb not included |
| <b>Lumen*</b>      | 474lm (gold)<br>499lm (blue)            | 514lm (gold)<br>540lm (blue)            | 229lm (gold)<br>241lm (blue)            |
| <b>Cable RAL</b>   | 9005                                    | 9005                                    | 9005                                    |


\*with bulb 10W LED E27

\*with bulb 10W LED E27

\*with bulb 5W LED E14

|                         | 0811-92 CANOPY TYPE A                     | PLATES TYPE A               |
|-------------------------|-------------------------------------------|-----------------------------|
| <b>Mounting</b>         | Ceiling                                   | Ceiling                     |
| <b>Environment</b>      | Indoor - Dry location                     | Indoor - Dry location       |
| <b>Materials</b>        | Metal                                     | Metal                       |
| <b>Lighting control</b> | On-off                                    | On-off                      |
| <b>Voltage</b>          | 120V 60Hz                                 | 120V 60Hz                   |
| <b>Finishes</b>         | Matt white<br>Matt titanium<br>Matt black | Matt white<br>Matt titanium |

Technical Drawing



Finishes

Mirroring Glass - Canopies



Canopies



**NOTE:**  
All luminaires can only be sold with the single rosettes, with the multiple plates or with bar canopies.  
The reverse is also true: rosettes,multiple plates and bar canopies cannot be sold separately from pendants.  
All fixture are tested and guaranteed in their entirety: pendant + rosette, pendant(s) + multiplate or pendant(s) + bar canopy.  
Any unauthorized installation will not be deemed compliant.

Codes Interpretation

1912 - 21 - 0012 - N2BU

1912

Year Collection

21

Typology Model

0012

Finish1 Finish2

N2BU

Lighting control Cable Source Wiring

| CODES             | SIZE              | STRUCTURE     | SHADE  | DETAILS     |
|-------------------|-------------------|---------------|--------|-------------|
| 1912-21-0012-N4BU | small suspension  |               | orange | wire 157.5" |
| 1912-21-0014-N4BU | small suspension  |               | blue   | wire 157.5" |
| 1912-21-0016-N4BU | small suspension  |               | gold   | wire 157.5" |
| 1912-21-0019-N4BU | small suspension  |               | violet | wire 157.5" |
| 1912-21-0015-N4BU | small suspension  |               | black  | wire 157.5" |
| 1912-21-0021-N4BU | small suspension  |               | bronze | wire 157.5" |
| 1912-22-0012-N4BU | medium suspension |               | orange | wire 157.5" |
| 1912-22-0014-N4BU | medium suspension |               | blue   | wire 157.5" |
| 1912-22-0016-N4BU | medium suspension |               | gold   | wire 157.5" |
| 1912-22-0019-N4BU | medium suspension |               | violet | wire 157.5" |
| 1912-22-0015-N4BU | medium suspension |               | black  | wire 157.5" |
| 1912-22-0021-N4BU | medium suspension |               | bronze | wire 157.5" |
| 1912-23-0012-N2BU | large suspension  |               | orange | wire 78.7"  |
| 1912-23-0012-N4BU | large suspension  |               | orange | wire 157.5" |
| 1912-23-0014-N2BU | large suspension  |               | blue   | wire 78.7"  |
| 1912-23-0014-N4BU | large suspension  |               | blue   | wire 157.5" |
| 1912-23-0016-N2BU | large suspension  |               | gold   | wire 78.7"  |
| 1912-23-0016-N4BU | large suspension  |               | gold   | wire 157.5" |
| 1912-23-0019-N2BU | large suspension  |               | violet | wire 78.7"  |
| 1912-23-0019-N4BU | large suspension  |               | violet | wire 157.5" |
| 0811-92-1800-NXBU | canopy type A     | matt titanium |        | on-off      |
| 0811-92-0100-NXBU | canopy type A     | matt white    |        | on-off      |
| 0811-92-1100-NXBU | canopy type A     | matt black    |        | on-off      |

Legenda

|                  |                         |                            |                               |
|------------------|-------------------------|----------------------------|-------------------------------|
| Lighting Control | D = Dimmable            | N = Not dimmable           |                               |
| Cable            | X = not suspension lamp | 2 = 2m                     | 4 = 4m                        |
| Source           | B = Bulb                | W = Integrated LED 2700K   | N = Integrated LED 3000K      |
| Wiring           | E = Universal           | U = USA with certification | V = USA without certification |