



# Stick

Studioepepe



AP

AP DOUBLE

AP TRIO

SO

SO TRIO



Preziosa semplicità. Elementi triangolari dalle linee pure ed essenziali, che emanano una luce suggestiva pur essendo funzionali. La luce diventa protagonista, grazie al diffusore rigato, scelto ad hoc per produrre giochi di luce unici in vari contesti. Prodotto esteticamente minimalista, Stick è tecnicamente realizzato secondo uno standard molto elevato, senza viti o fissaggi, tranne sul retro. Studioepepe ha concepito oggetti da galleria d'arte come questa tripla sospensione, che può essere utilizzata in ambienti più semplici come bagni, corridoi, negozi, residenze, uffici e spazi di lavoro. Elementi puri e architettonici si fondono all'interno di un corpo illuminante di grande carattere. Stick illumina l'ambiente circostante in modo uniforme se visto di fronte; tuttavia, a seconda dell'angolo di visione, crea effetti di luce differenti. Attualmente la gamma di prodotti Stick comprende diverse versioni, sia a parete che a sospensione.

*Precious simplicity. Triangular elements with pure, essential lines, which emanate an atmospheric light while being functional. Light takes the leading role, thanks to the ribbed diffuser, chosen specifically to produce unique plays of illumination in various contexts. An aesthetically minimalist product, Stick is technically made to a very high standard, with no screws or attachments, except on the back. Studioepepe has conceived art gallery objects like this triple suspension, which can be used in simpler settings such as bathrooms, corridors, retail, residential, offices and workspaces. Pure and architectural elements are combined within a lighting unit of great character. Stick lights its surroundings evenly when seen from the front; however, depending on the viewing angle, it creates different light effects. Currently, the Stick product range includes different versions, both wall-mounted and suspended.*

## SPECIFICHE PRODOTTO / PRODUCT SPECIFICS

STICK AP SMALL L.30

STICK AP MEDIUM L.60

STICK AP DOUBLE L.30 / L.60

STICK AP TRIO

STICK SO SMALL L.90

STICK SO LARGE L.150

STICK SO TRIO

p.2

p.4

p.5

p.6

p.7

p.8


p.9

p.10

**STRUTTURA / FRAME**



**DIFFUSORE / DIFFUSER**



**CAVO / CABLE**

Cavo trasparente  
*Transparent cable*

**SO**  
L: 2000 mm  
L: 78.7"



**FONTE LUMINOSA / LIGHT SOURCE****220-240V**

○ Custom LED

**AP SMALL**

1 x 13.5W  
Custom LED  
Emissione / Light emission: 1.250 Lm  
2.700 K; CRI: >90  
IP20

**AP MEDIUM**

1 x 27W  
Custom LED  
Emissione / Light emission: 2.500 Lm  
2.700 K; CRI: >90  
IP20

**AP DOUBLE**

1 x 13.5W  
Custom LED  
+  
1 x 27W  
Custom LED  
Emissione / Light emission: 3.750 Lm  
2.700 K; CRI: >90  
IP20

**AP TRIO**

3 x 27W  
Custom LED  
Emissione / Light emission: 7.500 Lm  
2.700 K; CRI: >90  
IP20

**SO SMALL**

1 x 40W  
Custom LED  
Emissione / Light emission: 3.750 Lm  
2.700 K; CRI: >90  
IP20

**SO LARGE**

1 x 65W  
Custom LED  
Emissione / Light emission: 6.250 Lm  
2.700 K; CRI: >90  
IP20

**SO TRIO**

1 x 120W  
Custom LED  
Emissione / Light emission: 10.000 Lm  
2.700 K; CRI: >90  
IP20

Dimmerabile DALI/Push.

Altri sistemi di dimmerazione disponibili su richiesta

*DALI/Push dimmable.*

*Other dimming systems available on request*

**110V**

○ Custom LED

**AP SMALL**

1 x 13.5W  
Custom LED  
Light emission: 1.250 Lm  
2.700 K; CRI: >90  
IP20

**AP MEDIUM**

1 x 27W  
Custom LED  
Light emission: 2.500 Lm  
2.700 K; CRI: >90  
IP20

**AP DOUBLE**

1 x 13.5W  
Custom LED  
+  
1 x 27W  
Custom LED  
Light emission: 3.750 Lm  
2.700 K; CRI: >90  
IP20

**AP TRIO**

3 x 27W  
Custom LED  
Light emission: 7.500 Lm  
2.700 K; CRI: >90  
IP20

**SO SMALL**

1 x 40W  
Custom LED  
Light emission: 3.750 Lm  
2.700 K; CRI: >90  
IP20

**SO LARGE**

1 x 65W  
Custom LED  
Light emission: 6.250 Lm  
2.700 K; CRI: >90  
IP20




**SO TRIO**




1 x 120W  
Custom LED  
Light emission: 10.000 Lm  
2.700 K; CRI: >90  
IP20




1...10V dimmable.



Other dimming systems available on request

























Copyright and/or design rights subsist in this drawing. No part of this drawing may be reproduced in any material form (including photocopying or storing in any medium electronic means, whether or not intentionally and whether or not as part or a larger publication) without the express permission of the copyright owner, Contardi Lighting S.r.l.. Further and without prejudice to the above, this drawing and all information relating thereto is confidential, and shall not be communicated to a third party without the consent of Contardi lighting srl. Contardi lighting srl asserts all rights to be identified as the author of the work and otherwise.

WARNING: The doing of any unauthorised act in relation to a copyright work may result in both a civil claim for damages and criminal prosecution.

---

**CONTARDI LIGHTING Srl**

ITALY HEADQUARTERS

[www.contardi-italia.com](http://www.contardi-italia.com) / [sales@contardi-italia.it](mailto:sales@contardi-italia.it)

**CONTARDI USA Inc**

USA BRANCH

[www.contardi-usa.com](http://www.contardi-usa.com) / [sales@contardi-usa.com](mailto:sales@contardi-usa.com)

