


BOND

Designed by Martin Opl



INSTALLATION GUIDE

Inspired by the enigmatic force of black holes, the Bond product line explores the way gravity bends light and space, shaping an ever-evolving interplay of illumination and shadow. Reflective and translucent surfaces respond dynamically to their surroundings, capturing and distorting light as it shifts throughout the day and across the seasons. Constantly in motion, Bond transforms with its environment, echoing the cosmic dance of attraction and distortion. A fusion of science and artistry, it reveals the unseen forces that shape both the universe and our perception of space.

SANS SOUCI

Risks of Uncertified Manipulation and Use of Unauthorized Components:

1. Loss of Warranty

Product Warranty:

The warranty remains valid only when the manufacturer's guidelines for use and maintenance are strictly followed. Any intervention by unqualified personnel or the use of unauthorized components will immediately void the warranty.

Warranty Terms:

The warranty terms explicitly state that any unauthorized tampering or the use of unauthorized components will result in the immediate termination of the warranty coverage. Consequently, any defects or issues resulting from such actions will not be eligible for repair or replacement under the warranty.

2. Security Risks

Electrical Standards:

Our products are designed and rigorously tested to comply with all relevant safety and electrical standards. Improper operation may violate these standards and create a risk of electric shock, fire or other accidents.

Risk of Injury:

Using unauthorized components can cause the product malfunction, significantly increasing the risk of severe hazards, including fire or electric shock.

3. Performance and Reliability Degradation

Professional Intervention:

Our technicians are highly trained and certified to work specifically with our products. Unauthorized or unprofessional intervention can cause significant damage, leading to performance degradation and subsequently lead to costly repairs.

Compatibility:

Only authorized components are tested and approved to ensure full compatibility with our products. The use of non-original components may cause malfunctions, reduced reliability, or complete non-functionality of the product, compromising both performance and safety.

4. Professional Service and Support

Professional Service:

Our technicians have the specialized training and certification required to work with our products safely and effectively. Any intervention by unqualified personnel can cause significant damage, leading to additional and costly repairs.


Technical Support:

Using authorized components guarantees full access to our comprehensive technical support and services. The use of non-original components severely limits our ability to provide effective support.

ATTENTION


The installation of the luminaire is divided into two sections based on certification requirements. Please follow the appropriate instructions for UL or CE certified installations before proceeding to the regular steps applicable to both variants.






DETAIL

To begin the installation, ensure that the appropriate mounting is prepared. Install the suitable ceiling hook (not included in the package) next to the power supply cable.





DETAIL

In the package, you will find the pendant pre-assembled for the installation. The canopy with the earthing tape and power supply clamp, the locking ring, the metal cap and the light fitting are already mounted on the cable.



DETAIL

Hang the cable on the cable grip, which prevents the cable from being pulled out.




DETAIL

Connect the terminal, with its pre-connected wires, to the corresponding wires of the power supply cable. Continue the installation by following the regular steps.

ATTENTION


The installation of the luminaire is divided into two sections based on certification requirements. Please follow the appropriate instructions for UL or CE certified installations before proceeding to the regular steps applicable to both variants.






DETAIL

Connect the power supply cable to the terminals in the lighting fixture.



DETAIL

Place the mounting plate over the J-box and screw it in place.




DETAIL

Cover the power supply cable and terminal with the canopy, fitting it tightly against the ceiling. Continue the installation by following the regular steps.

PENDANT


REGULAR STEPS






DETAIL

Secure the canopy using the supplied locking ring and set screw.




DETAIL

Insert the G9 light source into the bulb socket.



DETAIL

Tighten the safety screw located in the metal fitting to secure the fixture in place. Then, screw the glass shade onto the metal fitting and cover it with the metal cap.



DETAIL

Ensure that the lighting fixture is securely fastened.

SANS SOUCI

Country of origin:
Czech Republic

Sans Souci, s.r.o.
Vaclavske nam. 804/58,
110 00, Prague 1, Czech Republic

www.sanssoucilighting.com