

# CIRQUE

Cirque - 5741094862

The fixture provides a downward glare-free soft light by means of the white lacquered inner reflector.




## Clara von Zweigbergk

Clara von Zweigbergk was born in Stockholm and studied graphic design and illustration at Beckmans School of Design in Stockholm and the Art Center College of Design in Pasadena, USA.



## Carl Hansen & Son Showroom



## Product info

### Mounting

Suspension type: Cable 2x0,75mm<sup>2</sup>. Canopy: Yes. Length: 3m.

### Finish

Grey top, Copper top, Red top, Yellow top, wet painted.

### Materials

Shade: Drawn aluminium.

### Sizes and weights

Width x Height x Length (mm) | 220 x 295 x 220 Max 1.6 kg | 380 x 478 x 380 Max 3.9 kg | 150 x 189 x 150 Max 1.1 kg

### Class

Ingress protection IP20. Electric shock protection II wo. ground.


### Light source

1x40W 1x40W E27




# Light distribution diagrams


Cartesian



Isolux



Polar



## Spare parts & accessories

**Product**

Canopy White 2-part tophat @  
 Cirque Ø380 E27 suspension  
 Cirque Ø220 E27 suspension  
 Cirque Ø150 E27 suspension

**Variant number**

5749329034  
 5741097487  
 5741097490  
 5741097500

## Data specifications

Colour	Grey top	Length	220
Width	220	Height	295
Built-in Height	-	IP class	20
Class	II	Net Weight	1.6
Standby (W)	-	Power Factor (P = 100 % / P = 50 %)	-
Inrush Current	-	Light source	1x40W 1x40W E27
Kelvin	-	CRI	-

**Cirque**

SDCM	-
Watt	<b>9.5</b>
Light control	-
UGR Transversal / Axial	<b>6.5/6.5</b>
Driver life	-

Lumen	<b>620</b>
Efficacy	<b>65</b>
Min. Dim Level (%)	-
L80B50 (hours)	-