

# Raimond II Tensegrity

RAIMOND PUTS



The Raimond Tensegrity is a floor lamp made from elegant metal, complemented with the sturdy earthiness of wood. Tensegrity is a term that was first described by Buckminster Fuller as an architectural term. It refers to the interconnected wooden structure that uses tension and pressure to keep its shape. The beauty of the Raimond Tensegrity lies not only in its contrasting materials, but also in the trigonometric harmony of both structures. Mathematical perfection times two.

---

## *Detailing*



Raimond Puts never saw his final design. But, together with Raimond's wife, artist & designer Tis Ernst, Moooi completed the Raimond Tensegrity.

---

## *Colours*




Stainless steel

# Raimond II Tensegrity / Raimond II Tensegrity, R61

## Dimensions

61cm | 24"



80cm | 31.5"

## Product

**WIDTH** 61cm | 24"

**HEIGHT** 80cm | 31.5"

**DEPTH** 61cm | 24"

**DIAMETER** 61cm | 24"

**WEIGHT NETTO** 10kg |  
22.05lbs

## Packaging

**WIDTH** 75cm | 29.5"

**HEIGHT** 75cm | 29.5"

**CUBAGE** 0.42m<sup>3</sup> | 14.9ft<sup>3</sup>

**LENGTH** 75cm | 29.5"

**WEIGHT** 10kg | 22.05lbs

## Technical CE / CU

### MATERIAL

Stainless Steel Sphere with PMMA lenses, wooden legs and leather straps

### ENERGY LABEL

Energy Label B

### LIGHTSOURCE TYPE

LED

### LIGHTSOURCE INCLUDED

Yes

### NUMBER OF LIGHTSOURCES

162

### INPUT VOLTAGE

120-250

### FREQUENCY

50/60

### MAX POWER CONSUMPTION

17W

### LAMPHOLDER

LED (Solid state)

### LIFETIME

50000 hours

### CABLE COLOUR

Transparent with tinned cores

### CABLE LENGTH

500cm | 196.9"

### SWITCH

In line dimmer switch integrated in power supply housing

### COLOUR TEMPERATURE

2523 K

### CRI

92

### LIGHT DIRECTION

All directions

### LIGHT OUTPUT

1134 lm

### DIMMING & LIGHTING CONTROL

Dimmer on power cord


See last page for more information about the dimming possibilities.



# Raimond II Tensegrity / Raimond II Tensegrity, R89

## Dimensions

89cm | 35"



113cm | 44.5"

## Product

**WIDTH** 89cm | 35"

**HEIGHT** 113cm | 44.5"

**DEPTH** 89cm | 35"

**DIAMETER** 89cm | 35"

**WEIGHT NETTO** 16kg | 35.27lbs

## Packaging

**WIDTH** 104cm | 40.9"

**HEIGHT** 104cm | 40.9"

**CUBAGE** 1.12m<sup>3</sup> | 39.72ft<sup>3</sup>

**LENGTH** 104cm | 40.9"

**WEIGHT** 16kg | 35.27lbs

## Technical CE / CU

### MATERIAL

Stainless Steel Sphere with PMMA lenses, wooden legs and leather straps

### ENERGY LABEL

Energy Label B

### LIGHTSOURCE TYPE

LED

### LIGHTSOURCE INCLUDED

Yes

### NUMBER OF LIGHTSOURCES

252

### INPUT VOLTAGE

120-250

### FREQUENCY

50/60

### MAX POWER CONSUMPTION

26W

### LAMPHOLDER

LED (Solid state)

### LIFETIME

50000 hours

### CABLE COLOUR

Transparent with tinned cores

### CABLE LENGTH

500cm | 196.9"

### SWITCH

In line dimmer switch integrated in power supply housing

### COLOUR TEMPERATURE

2523 K

### CRI

92

### LIGHT DIRECTION

All directions

### LIGHT OUTPUT

1744 lm

### DIMMING & LIGHTING CONTROL

Dimmer on power cord

See last page for more information about the dimming possibilities.





## *Dimming & Lighting Control*

### *Dimmer on power cord*

Compatible models: Raimond II Tensegrity, R61 CE, Raimond II Tensegrity, R61 CU, Raimond II Tensegrity, R89 CE, Raimond II Tensegrity, R89 CU

---