


Turn Around - Track - Suspension - Direct + Indirect - Linear Element - 2000mm

Carlotta de Bevilacqua



IP20  



Notes

DESCRIPTION

Turn Around inverts the approach to the lighting system, starting from the principles of sustainability, reduction, lightness, integration, optoelectronic intelligence, and freedom of application and interaction.

It is a combination of different structural and lighting solutions that adapt to the last minute space thanks to its minimal section. It is a composition based on a very small track, with a patented section dictated by the standard thickness of plasterboard, which allows it to fit into the available space in any situation.

Different linear, 90-degree angle and curved modules can be combined with electrical and mechanical continuity, offering maximum freedom to create ever-changing shapes.

The freedom to design light into space is guaranteed by the flexibility to combine different geometries within the structure and the possibility of integrating different performances.

Indeed, the same track can accommodate a linear module for diffused light, as well as sharpening, spot and pendant modules.

It is a single 48V-powered continuous energy infrastructure that has no practical limits on length but only on installed power.

Turn Around is, moreover, safe thanks to the D.Art technology, designed by Artemide, which overcomes the safety limits of the DALI signal where the same signal is accessible by touch.

The DALI signal is transformed into a "SELV" safety extra low voltage ensuring the total safety of the appliances.

Turn Around is designed in accordance with international certifications.

FEATURES

- Product Code: **TA20222**
- Colour: **Titanium**
- Installation: **Suspension, Track**
- Material: **Aluminium**
- Series: **Architectural Indoor**
- design by: **Carlotta de Bevilacqua**

DIMENSIONS

- Length: **2000 mm**
- Width: **20 mm**
- Height: **30 mm**

Accessories



0-10, 1-10, Potenziometro, Push, DALI to DALI-Selv Interface DV1061



Device for switching and controlling Artemide App products. Max N.3 inputs for external push buttons. Max 1m distance. Mains power supply required. To be installed inside flush mounting boxes or junction boxes. DV1080APP



Locking tool: to lock insulating conductor spacer into aluminum profile TA00100



Shaping tool: to shape insulating conductor support TA00000



Turn Around - Track - Feed end cap - Suspension direct+indirect - Cable 2500mm TA90800



Turn Around - Track - Recessed/SMD/Suspension - 150W Bare power supply ON-OFF 230VAC-48VDC IP20 - Undimmable (for dimmable version to be combined with "DALI-SELV Interface") 244x68x38H TA98100



Turn Around - Track - Recessed/SMD/Suspension - 240W - Remote box power supply kit - 230VAC-48VDC - IP20 - 313x243x57,5H - Dimmable APP TA62500APP



Turn Around - Track - Recessed/SMD/Suspension - 240W - Remote box power supply kit - 230VAC-48VDC - IP20 - 313x243x57,5H - Dimmable DALI/0-10/1-10/Push TA62500



Turn Around - Track - Recessed/SMD/Suspension - 240W Bare power supply ON-OFF 230VAC-48VDC IP20 - Undimmable (for dimmable version to be combined with "DALI-SELV Interface") 244x68x38H TA98000



Turn Around - Track - Recessed/SMD/Suspension - 320W - Remote box power supply kit - 230VAC-48VDC - IP20 - 313x243x57,5H - Dimmable APP TA68000APP



Turn Around - Track - Recessed/SMD/Suspension - 320W - Remote box power supply kit - 230VAC-48VDC - IP20 - 313x243x57,5H - Dimmable DALI/0-10/1-10/Push TA68000



Turn Around - Track - SMD/Suspension - 150W - Ceiling power supply kit - 230VAC-48VDC - IP20 - 400x110x50H - Dimmable APP - Titanium TA61222APP



Turn Around - Track - SMD/Suspension - 150W - Ceiling power supply kit - 230VAC-48VDC - IP20 - 400x110x50H - Dimmable APP - White TA61001APP



Turn Around - Track - SMD/Suspension - 150W - Ceiling power supply kit - 230VAC-48VDC - IP20 - 400x110x50H - Dimmable DALI/0-10/1-10/Push - Titanium TA61222



Turn Around - Track - SMD/Suspension - 150W - Ceiling power supply kit - 230VAC-48VDC - IP20 - 400x110x50H - Dimmable DALI/0-10/1-10/Push - White TA61001



Turn Around - Track - SMD/Suspension - 150W - Ceiling power supply kit - 230VAC-48VDC - IP20 - 400x110x50H - Undimmable - Titanium TA61122



Turn Around - Track - SMD/Suspension - 150W - Ceiling power supply kit - 230VAC-48VDC - IP20 - 400x110x50H - Undimmable - White TA60901



Turn Around - Track - SMD/Suspension - 240W - Ceiling power supply kit - 230VAC-48VDC - IP20 - 400x110x50H - Dimmable APP - Titanium



Turn Around - Track - SMD/Suspension - 240W - Ceiling power supply kit - 230VAC-48VDC - IP20 - 400x110x50H - Dimmable APP - White TA61401APP



Turn Around - Track - SMD/Suspension - 240W - Ceiling power supply kit - 230VAC-48VDC - IP20 - 400x110x50H - Dimmable DALI/0-10/1-10/Push - Titanium TA61622



Turn Around - Track - SMD/Suspension - 240W - Ceiling power supply kit - 230VAC-48VDC - IP20 - 400x110x50H - Dimmable DALI/0-10/1-10/Push - White TA61401



Turn Around - Track - SMD/Suspension - 240W - Ceiling power supply kit - 230VAC-48VDC - IP20 - 400x110x50H - Undimmable - Titanium TA61522



Turn Around - Track - SMD/Suspension - 240W - Ceiling power supply kit - 230VAC-48VDC - IP20 - 400x110x50H - Undimmable - White TA61301



Turn Around - Track - Suspension - 150W - Recessed power supply kit - 230VAC-48VDC - IP20 - 395x165x107H - Dimmable APP TA62201APP



Turn Around - Track - Suspension - 150W - Recessed power supply kit - 230VAC-48VDC - IP20 - 395x165x107H - Dimmable DALI/0-10/1-10/Push TA62201



Turn Around - Track - Suspension - 150W - Recessed power supply kit - 230VAC-48VDC - IP20 - 395x165x107H - Undimmable TA62101



Turn Around - Track - Suspension - 240W - Recessed power supply kit - 230VAC-48VDC - IP20 - 395x165x107H - Dimmable APP TA62401APP



Turn Around - Track - Suspension - 240W - Recessed power supply kit - 230VAC-48VDC - IP20 - 395x165x107H - Dimmable DALI/0-10/1-10/Push TA62401



Turn Around - Track - Suspension - 240W - Recessed power supply kit - 230VAC-48VDC - IP20 - 395x165x107H - Undimmable TA62301



Turn Around - Track - Suspension - 320W - Recessed power supply kit - 230VAC-48VDC - IP20 - 395x165x107H - Dimmable APP TA67101APP



Turn Around - Track - Suspension - 320W - Recessed power supply kit - 230VAC-48VDC - IP20 - 395x165x107H - Dimmable DALI/0-10/1-10/Push TA67101



Turn Around - Track - Suspension - 320W - Recessed power supply kit - 230VAC-48VDC - IP20 - 395x165x107H - Undimmable TA67001



Turn Around - Track - Suspension - Fixing Kit (3pcs) TA90500



Turn Around - Track - Suspension - Kit Electro-Mechanical Joint TA90300