


AJ FLOOR

Project name:

Project type:

Notes:



Design

Arne Jacobsen

Product description

Terse and iconic design

A semi-conical fixture head.

An arm fixed to a round mounting box holds the fixture head.

Fixture head pivots to direct light as needed.

Different colour variants.

Is a member of a product family for both outdoor and indoor

Variant options

Color	Cable type	Light source	Voltage frequency
<ul style="list-style-type: none"><input type="radio"/> Aubergine<input type="radio"/> Black<input type="radio"/> Dark green<input type="radio"/> Dark grey<input type="radio"/> Dusty blue<input type="radio"/> Electric orange<input type="radio"/> Light grey<input type="radio"/> Midnight blue<input type="radio"/> Pale petroleum<input type="radio"/> Rusty red<input type="radio"/> Soft lemon<input type="radio"/> Stainless steel polished<input type="radio"/> Warm grey<input type="radio"/> Warm sand<input type="radio"/> White<input type="radio"/> Yellow ochre	<p>Blk</p> <p>Wht</p>	<p>A-19/medium</p> <p>E26</p>	<p>-</p> <p>120V</p>

Light description

The fixture emits glare free, directed light.
 Combined direct and indirect light ensures directed light with soft shadows
 The shade is painted white on the inside to ensure a soft comfortable light distribution.

Mounting

Portable fixture plugs into standard wall outlet.

Information

The white version is supplied with a white cable. The other versions are supplied with a black cable.


Voltage

120V


Light distribution diagrams

For the full data set on all variants, see louispuolsen.com.


Cartesian



Isolux



Polar



Material

Fixture head and wall box: spun steel, 1.5mm (0.06") thick, wet painted.
 Arm: extruded steel, 1.5mm (0.06") thick, wet painted.
 Base: cast zinc plated steel, 1.5mm (0.06") thick.
 Switch: on/off, phenolic, on cord.
 Socket: Porcelain, medium base for A-19, frosted envelope lamps.

















Weight

Min: 7.524 lbs Max: 7.99 lbs

Finish

Aubergine, Black, Dark green, Dark grey, Dusty blue, Electric orange, Light grey, Midnight blue, Pale petroleum, Rusty red, Soft lemon, Stainless steel polished, Warm grey, Warm sand, White, Yellow ochre

Variant options

Color	Cable type	Light source	Voltage frequency	Variant number
 Black	Blk	E26	-	5744905929
 Stainless steel polished	Blk	A-19/medium	120V	5744915113
 White	Wht	E26	-	5744905916
 Light grey	Blk	E26	-	5744905932
 Yellow ochre	Blk	E26	-	5744905945
 Rusty red	Blk	E26	-	5744905958
 Midnight blue	Blk	E26	-	5744905961
 Aubergine	Blk	E26	-	5744905974
 Dark grey	Blk	E26	-	5744905987
 Dark green	Blk	E26	-	5744905990
 Pale petroleum	Blk	E26	-	5744906009
 Electric orange	Wht	E26	-	5744909462
 Soft lemon	Wht	E26	-	5744909475
 Warm sand	Wht	E26	-	5744909488
 Dusty blue	Blk	E26	-	5744909491
 Warm grey	Blk	E26	-	5744909501