

TECHNICAL SHEET

Clip is a collection of suspension lamps defined by a thin disc coupled with an open slot hooked to the support cable.

An accessory from contemporary aesthetics, a glamorous ceiling jewel.


Certification



	1707-24 LARGE OPEN	1907-90 CANOPY TYPE C
Mounting	Suspension	Ceiling
Environment	Indoor - Dry Location	Indoor - Dry Location
Materials	Metal	Metal
Voltage	24V	120-277V 60 Hz
Source	19W	
Color Temperature	3000K / 2700K	
Lumen		
Cable RAL	9005	
Lighting control		Dimmable 0-10V/ Dimmable phase cut (120V only)
Finishes	Matt black, Matt white, Matt gold, Matt bronze, Blue, Orange	Matt gold Matt black Matt white

	1707-22 MINI OPEN	1707-91 CANOPY TYPE F
Mounting	Suspension	Ceiling
Environment	Indoor - Dry Location	Indoor - Dry location
Materials	Metal	Metal
Voltage	24V	120V 60Hz
Source	8W	
Color Temperature	3000K / 2700K	
Lumen		
Cable RAL	9005	
Lighting control		On-off/ Dimmable 0-10V
Finishes	Matt black, Matt white, Matt gold, Matt bronze, Blue, Orange	Matt gold Matt black Matt white

Technical Drawing



Finishes

Structure



Matt black



Matt gold



Blue



Orange



Matt bronze

Canopies



Matt black varnished metal



Matt gold varnished metal



Matt white varnished metal

NOTE:

All luminaires can only be sold with the single rosettes.
The reverse is also true: rosettes cannot be sold separately from pendants.
All fixture are tested and guaranteed in their entirety: pendant + rosette.
Any unauthorized installation will not be deemed compliant.

Codes Interpretation

1707-24-1100-N2NU

1707
Year Collection

24
Typology Model

1100
Finish1 Finish2

N2NU
Lighting control Cable Source Wiring

CODES	SIZE	STRUCTURE	SHADE	DETAILS
1707-24-1100-N2NU	large suspension	matt black		wire 78.7" / 3000K
1707-24-1100-N2WU	large suspension	matt black		wire 78.7" / 2700K
1707-24-1100-N4NU	large suspension	matt black		wire 157.5" / 3000K
1707-24-1100-N4WU	large suspension	matt black		wire 157.5" / 2700K
1707-24-0600-N2NU	large suspension	matt gold		wire 78.7" / 3000K
1707-24-0600-N2WU	large suspension	matt gold		wire 78.7" / 2700K
1707-24-0600-N4NU	large suspension	matt gold		wire 157.5" / 3000K
1707-24-0600-N4WU	large suspension	matt gold		wire 157.5" / 2700K
1707-24-1600-N2NU	large suspension	matt bronze		wire 78.7" / 3000K
1707-24-1600-N2WU	large suspension	matt bronze		wire 78.7" / 2700K
1707-24-1600-N4NU	large suspension	matt bronze		wire 157.5" / 3000K
1707-24-1600-N4WU	large suspension	matt bronze		wire 157.5" / 2700K
1707-24-4200-N2WU	large suspension	blue		wire 78.7" / 3000K
1707-24-4200-N2NU	large suspension	blue		wire 78.7" / 2700K
1707-24-4200-N4WU	large suspension	blue		wire 157.5" / 3000K
1707-24-4200-N4NU	large suspension	blue		wire 157.5" / 2700K
1707-24-4300-N2NU	large suspension	orange		wire 78.7" / 3000K
1707-24-4300-N2WU	large suspension	orange		wire 78.7" / 2700K
1707-24-4300-N4NU	large suspension	orange		wire 157.5" / 3000K
1707-24-4300-N4WU	large suspension	orange		wire 157.5" / 2700K
1707-22-1100-N2NU	mini suspension	matt black		wire 78.7" / 3000K
1707-22-1100-N2WU	mini suspension	matt black		wire 78.7" / 2700K
1707-22-1100-N4NU	mini suspension	matt black		wire 157.5" / 3000K
1707-22-1100-N4WU	mini suspension	matt black		wire 157.5" / 2700K
1707-22-0600-N2NU	mini suspension	matt gold		wire 78.7" / 3000K
1707-22-0600-N2WU	mini suspension	matt gold		wire 78.7" / 2700K
1707-22-0600-N4NU	mini suspension	matt gold		wire 157.5" / 3000K
1707-22-0600-N4WU	mini suspension	matt gold		wire 157.5" / 2700K
1707-22-1600-N2NU	mini suspension	matt bronze		wire 78.7" / 3000K
1707-22-1600-N2WU	mini suspension	matt bronze		wire 78.7" / 2700K
1707-22-1600-N4NU	mini suspension	matt bronze		wire 157.5" / 3000K
1707-22-1600-N4WU	mini suspension	matt bronze		wire 157.5" / 2700K
1707-22-4200-N2WU	mini suspension	blue		wire 78.7" / 3000K
1707-22-4200-N2NU	mini suspension	blue		wire 78.7" / 2700K

1707-22-4200-N4WU	mini suspension	blue	wire 157.5" / 3000K
1707-22-4200-N4NU	mini suspension	blue	wire 157.5" / 2700K
1707-22-4300-N2NU	mini suspension	orange	wire 78.7" / 3000K
1707-22-4300-N2WU	mini suspension	orange	wire 78.7" / 2700K
1707-22-4300-N4NU	mini suspension	orange	wire 157.5" / 3000K
1707-22-4300-N4WU	mini suspension	orange	wire 157.5" / 2700K
1907-90-1100-DXLU	canopy type C - large	matt black	dimnable 0-10V / dimnable phase cut (120V only)
1907-90-0600-DXLU	canopy type C - large	matt gold	dimnable 0-10V / dimnable phase cut (120V only)
1907-90-0100-DXLU	canopy type C - large	matt white	dimnable 0-10V / dimnable phase cut (120V only)
1707-91-0600-NXLU	canopy type F - mini	matt gold	on-off
1707-91-0600-DXLU	canopy type F - mini	matt gold	dimnable 0-10V
1707-91-1100-NXLU	canopy type F - mini	matt black	on-off
1707-91-1100-DXLU	canopy type F - mini	matt black	dimnable 0-10V
1707-91-0100-NXLU	canopy type F - mini	matt white	on-off
1707-91-0100-DXLU	canopy type F - mini	matt white	dimnable 0-10V

Legenda

Lighting Control	D = Dimmable	N = Not dimmable	
Cable	X = not suspension lamp	2 = 2m	4 = 4m
Source	B = Bulb	W = Integrated LED 2700K	N = Integrated LED 3000K
Wiring	E = Universal	U = USA with certification	V = USA without certification